

SEQUENCE LISTING

<110> KUBICKA, Stefan
KUHNEL, Florian
SCHULTE, Bernd

<120> ADAPTER FOR COUPLING A SUBSTANCE WHICH IS TO BE COUPLED TO A CELL
SURFACE

<130> Q95566

<150> PCT/EP2004/014419
<151> 2004-12-17

<150> EP 03 029 139.7
<151> 2003-12-18

<160> 11

<170> PatentIn version 3.3

<210> 1
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> human Coxsackie Adenovirus Receptor (hCAR) 5'-Primer

<220>
<221> misc_recomb
<222> (3)..(8)
<223> KpnI restriction site

<220>
<221> misc_feature
<222> (9)..(11)
<223> translation start codon of hCAR

<400> 1
gtggtaccat ggcgctcctg ctgtgcttcg tgc 33

<210> 2
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> human Coxsackie Adenovirus Receptor (hCAR) 3'-Primer

<220>
<221> misc_recomb
<222> (3)..(10)
<223> NotI restriction site

<220>
<221> misc_feature

<222> (11)..(42)
 <223> complementary bases, corresponding to bases 776 to 807 of hCAR
 (accession no. NM 001338)

<400> 2
 tagcggccgc ctttatttga aggagggaca acgtttagac gc 42

<210> 3
 <211> 75
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 5'-PCR primer for HIV tat basic region

<220>
 <221> misc_recomb
 <222> (4)..(11)
 <223> NotI restriction site

<220>
 <221> misc_feature
 <222> (36)..(65)
 <223> "sense" oligonucleotide, corresponding to bases nos. 5518-5547 of
 the HIV genome (accession no. NC 001802)

<220>
 <221> misc_recomb
 <222> (68)..(73)
 <223> XbaI restriction site

<400> 3
 aaagcggccg cggaggagga agtggaggag gaggaggcag gaagaagcgg agacagcgac 60
 gaagaggtct agaaa 75

<210> 4
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> basic region of HIV tat protein

<400> 4
 Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 5
 <211> 75
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 3'-PCR primer for HIV tat basic region

```

<220>
<221> misc_feature
<222> (1)..(75)
<223> complementary to pCAR(ex)TAT48-57 5'

<400> 5
tttctagacc tcttcgtcgc tgtctccgct tcttctctgcc tctctctctc ccacttctctc 60
ctccgcggcc gcttt 75

<210> 6
<211> 72
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-PCR primer for 9 Arg peptide

<220>
<221> misc_recomb
<222> (4)..(11)
<223> NotI restriction site

<220>
<221> CDS
<222> (36)..(62)
<223> Coding for 9 Arg ("RRRRRRRRR")

<220>
<221> misc_recomb
<222> (65)..(70)
<223> XbaI restriction site

<400> 6
aaagcggccg cggaggagga agtggaggag gagga cgt cgc cga cgg aga agg 53
Arg Arg Arg Arg Arg Arg
1 5

aga cgt aga ggtctagaaa 72
Arg Arg Arg

<210> 7
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> 5'-PCR primer for 9 Arg peptide

<400> 7
Arg Arg Arg Arg Arg Arg Arg Arg Arg
1 5

```

<210> 8
 <211> 72
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 3'-PCR primer for 9 Arg peptide

 <220>
 <221> misc_feature
 <222> (1)..(72)
 <223> complementary to pCAR(ex)-9xArg 5'

 <400> 8
 tttctagacc tctacgtctc cttctccgtc ggcgacgtcc tcctcctcca cttcctcctc 60
 cgcggccgct tt 72

 <210> 9
 <211> 80
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> 5'-PCR primer for antennapedia homeobox-protein fragment

 <220>
 <221> misc_recomb
 <222> (3)..(10)
 <223> NotI restriction site

 <220>
 <221> misc_feature
 <222> (23)..(70)
 <223> partial coding sequence of Euprymna scolopes antennapedia
 homeodomain protein (accession no.: AY052758), coding for amino
 acids 62-77

 <220>
 <221> misc_recomb
 <222> (73)..(78)
 <223> XbaI restriction site

 <400> 9
 aagcggccgc ggaggaggag gaagacagat caaaatatgg ttccaaaacc ggcgcatgaa 60
 atggaagaaa ggtctagaaa 80

 <210> 10
 <211> 16
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> antennapedia homeobox protein fragment from Euprymna scolopes

<400> 10

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys
1 5 10 15

<210> 11

<211> 80

<212> DNA

<213> Artificial Sequence

<220>

<223> 3'-PCR primer for antennapedia homeobox-protein fragment

<220>

<221> misc_feature

<222> (1)..(80)

<223> complementary to pCAR(ex)-AntP62-77 5'

<400> 11

tttctagacc tttcttccat ttcattgcgc gggttttgga ccatattttg atctgtcttc 60

ctcctcctcc gcggccgctt 80